

❖ COIL SPRINGS –

HIGH DEFLECTION – DSWR

- **F(Allowable deflection) is due to the measurement at normal temperature (40° C)**
- Maximum allowable deflection at high temperature (150° /200° C).

DNT - SWR					
PART NUMBER	PRICE	PART NUMBER	PRICE	PART NUMBER	PRICE
DNT-SWR10.5-15	460.72	DNT-SWR12.5-50	506.48	DNT-SWR14.5-75	561.60
DNT-SWR10.5-20	460.72	DNT-SWR12.5-55	514.80	DNT-SWR14.5-80	568.88
DNT-SWR10.5-25	464.88	DNT-SWR12.5-60	523.12	DNT-SWR14.5-90	584.48
DNT-SWR10.5-30	468.00	DNT-SWR12.5-65	530.40	DNT-SWR14.5-100	601.12
DNT-SWR10.5-35	476.32	DNT-SWR12.5-70	538.72	DNT-SWR14.5-125	616.72
DNT-SWR10.5-40	483.60	DNT-SWR12.5-75	542.88	DNT-SWR14.5-150	631.28
DNT-SWR10.5-45	483.60	DNT-SWR12.5-80	550.16	DNT-SWR17-20	490.88
DNT-SWR10.5-50	490.88	DNT-SWR12.5-90	564.72	DNT-SWR17-25	499.20
DNT-SWR10.5-55	499.20	DNT-SWR12.5-100	581.36	DNT-SWR17-30	506.48
DNT-SWR10.5-60	506.48	DNT-SWR14.5-15	476.32	DNT-SWR17-35	514.80
DNT-SWR10.5-65	514.80	DNT-SWR14.5-20	483.60	DNT-SWR17-40	523.12
DNT-SWR10.5-70	523.12	DNT-SWR14.5-25	490.88	DNT-SWR17-45	530.40
DNT-SWR10.5-75	530.40	DNT-SWR14.5-30	499.20	DNT-SWR17-50	534.56
DNT-SWR10.5-80	538.72	DNT-SWR14.5-35	506.48	DNT-SWR17-55	538.72
DNT-SWR12.5-15	464.88	DNT-SWR14.5-40	514.80	DNT-SWR17-60	546.00
DNT-SWR12.5-20	464.88	DNT-SWR14.5-45	523.12	DNT-SWR17-65	554.32
DNT-SWR12.5-25	468.00	DNT-SWR14.5-50	530.40	DNT-SWR17-70	561.60
DNT-SWR12.5-30	476.32	DNT-SWR14.5-55	534.56	DNT-SWR17-75	568.88
DNT-SWR12.5-35	483.60	DNT-SWR14.5-60	538.72	DNT-SWR17-80	577.20
DNT-SWR12.5-40	490.88	DNT-SWR14.5-65	546.00	DNT-SWR17-90	592.80
DNT-SWR12.5-45	499.20	DNT-SWR14.5-70	554.32	DNT-SWR17-100	604.24

❖ COIL SPRINGS –

HIGH DEFLECTION – DSWR

- **F(Allowable deflection) is due to the measurement at normal temperature (40° C)**
- Maximum allowable deflection at high temperature (150° /200° C).

DNT - SWR					
PART NUMBER	PRICE	PART NUMBER	PRICE	PART NUMBER	PRICE
DNT-SWR17-125	624.00	DNT-SWR21-140	639.60	DNT-SWR26-130	655.20
DNT-SWR17-150	646.88	DNT-SWR21-150	646.88	DNT-SWR26-140	662.48
DNT-SWR17-175	670.80	DNT-SWR21-175	666.64	DNT-SWR26-150	662.48
DNT-SWR21-25	514.80	DNT-SWR21-200	686.40	DNT-SWR26-175	702.00
DNT-SWR21-30	523.12	DNT-SWR26-25	538.72	DNT-SWR26-200	744.64
DNT-SWR21-35	530.40	DNT-SWR26-30	546.00	DNT-SWR26-225	761.28
DNT-SWR21-40	534.56	DNT-SWR26-35	554.32	DNT-SWR26-250	780.00
DNT-SWR21-45	538.72	DNT-SWR26-40	561.60	DNT-SWR31-35	561.60
DNT-SWR21-50	546.00	DNT-SWR26-45	568.88	DNT-SWR31-40	568.88
DNT-SWR21-55	554.32	DNT-SWR26-50	577.20	DNT-SWR31-45	577.20
DNT-SWR21-60	561.60	DNT-SWR26-55	584.48	DNT-SWR31-50	584.48
DNT-SWR21-65	568.88	DNT-SWR26-60	592.80	DNT-SWR31-55	592.80
DNT-SWR21-70	577.20	DNT-SWR26-65	601.12	DNT-SWR31-60	601.12
DNT-SWR21-75	584.48	DNT-SWR26-70	604.24	DNT-SWR31-65	608.40
DNT-SWR21-80	592.80	DNT-SWR26-75	612.56	DNT-SWR31-70	612.56
DNT-SWR21-90	601.12	DNT-SWR26-80	616.72	DNT-SWR31-75	616.72
DNT-SWR21-100	604.24	DNT-SWR26-90	624.00	DNT-SWR31-80	624.00
DNT-SWR21-110	612.56	DNT-SWR26-100	631.28	DNT-SWR31-90	639.60
DNT-SWR21-120	616.72	DNT-SWR26-110	639.60	DNT-SWR31-100	655.20
DNT-SWR21-125	624.00	DNT-SWR26-120	646.88	DNT-SWR31-110	662.48
DNT-SWR21-130	631.28	DNT-SWR26-125	646.88	DNT-SWR31-120	674.96

❖ COIL SPRINGS –

HIGH DEFLECTION – DSWR

- **F(Allowable deflection) is due to the measurement at normal temperature (40° C)**
- Maximum allowable deflection at high temperature (150° /200° C).

DNT - SWR					
PART NUMBER	PRICE	PART NUMBER	PRICE	PART NUMBER	PRICE
DNT-SWR31-125	682.24	DNT-SWR37-80	830.96	DNT-SWR43-90	865.28
DNT-SWR31-130	686.40	DNT-SWR37-90	842.40	DNT-SWR43-100	873.60
DNT-SWR31-140	702.00	DNT-SWR37-100	858.00	DNT-SWR43-110	880.88
DNT-SWR31-150	709.28	DNT-SWR37-110	865.28	DNT-SWR43-120	893.36
DNT-SWR31-160	724.88	DNT-SWR37-120	873.60	DNT-SWR43-130	904.80
DNT-SWR31-170	733.20	DNT-SWR37-125	880.88	DNT-SWR43-140	913.12
DNT-SWR31-175	741.52	DNT-SWR37-130	889.20	DNT-SWR43-150	920.40
DNT-SWR31-180	744.64	DNT-SWR37-140	897.52	DNT-SWR43-160	927.68
DNT-SWR31-190	761.28	DNT-SWR37-150	900.64	DNT-SWR43-170	936.00
DNT-SWR31-200	764.40	DNT-SWR37-160	908.96	DNT-SWR43-180	951.60
DNT-SWR31-250	822.64	DNT-SWR37-170	917.28	DNT-SWR43-190	967.20
DNT-SWR31-300	880.88	DNT-SWR37-175	920.40	DNT-SWR43-200	982.80
DNT-SWR37-35	764.40	DNT-SWR37-180	927.68	DNT-SWR43-225	1018.16
DNT-SWR37-40	772.72	DNT-SWR37-190	936.00	DNT-SWR43-250	1057.68
DNT-SWR37-45	780.00	DNT-SWR37-200	943.28	DNT-SWR43-275	1092.00
DNT-SWR37-50	787.28	DNT-SWR37-250	1014.00	DNT-SWR43-300	1123.20
DNT-SWR37-55	795.60	DNT-SWR37-300	1083.68	DNT-SWR46-50	842.40
DNT-SWR37-60	802.88	DNT-SWR43-50	839.28	DNT-SWR46-60	850.72
DNT-SWR37-65	811.20	DNT-SWR43-60	842.40	DNT-SWR46-70	858.00
DNT-SWR37-70	819.52	DNT-SWR43-70	850.72	DNT-SWR46-80	865.28
DNT-SWR37-75	826.8	DNT-SWR43-80	858.00	DNT-SWR46-90	873.60

❖ COIL SPRINGS –

HIGH DEFLECTION – DSWR

- **F(Allowable deflection) is due to the measurement at normal temperature (40⁰ C)**
- Maximum allowable deflection at high temperature (150⁰ /200⁰ C).

DNT - SWR				DSWR	
PART NUMBER	PRICE	PART NUMBER	PRICE	PART NUMBER	PRICE
DNT-SWR46-100	880.88	DNT-SWR50-130	1018.16	DSWR10.5-55	144.00
DNT-SWR46-110	889.20	DNT-SWR50-140	1064.96	DSWR10.5-60	152.00
DNT-SWR46-120	897.52	DNT-SWR50-150	1087.84	DSWR10.5-65	184.00
DNT-SWR46-125	900.64	DNT-SWR50-175	1157.52	DSWR10.5-70	208.00
DNT-SWR46-130	908.96	DNT-SWR50-200	1232.40	DSWR10.5-75	228.00
DNT-SWR46-140	917.28	DNT-SWR50-225	1302.08	DSWR10.5-80	238.40
DNT-SWR46-150	920.40	DNT-SWR50-250	1372.80	DSWR12.5-15	148.80
DNT-SWR46-175	943.28	DNT-SWR50-275	1439.36	DSWR12.5-20	148.80
DNT-SWR46-200	967.20	DNT-SWR50-300	1510.08	DSWR12.5-25	148.80
DNT-SWR46-225	986.96	DNT-SWR50-350	1657.76	DSWR12.5-30	148.80
DNT-SWR46-250	1005.68	DNT-SWR50-400	1806.48	DSWR12.5-35	112.00
DNT-SWR46-275	1029.60			DSWR12.5-40	120.00
DNT-SWR46-300	1049.36			DSWR12.5-45	128.00
				DSWR12.5-50	136.00
DNT-SWR50-50	900.64	DSWR10.5-15	70.40	DSWR12.5-55	148.00
DNT-SWR50-60	917.28	DSWR10.5-20	88.00	DSWR12.5-60	156.00
DNT-SWR50-70	923.52	DSWR10.5-25	96.00	DSWR12.5-65	192.00
DNT-SWR50-80	936.00	DSWR10.5-30	100.00	DSWR12.5-70	216.00
DNT-SWR50-90	947.44	DSWR10.5-35	108.00	DSWR12.5-75	236.00
DNT-SWR50-100	958.88	DSWR10.5-40	116.00	DSWR12.5-80	244.00
DNT-SWR50-110	975.52	DSWR10.5-45	124.00	DSWR12.5-90	252.00
DNT-SWR50-120	991.12	DSWR10.5-50	128.00		

❖ COIL SPRINGS –

HIGH DEFLECTION – DSWR

- **F(Allowable deflection) is due to the measurement at normal temperature (40° C)**
- Maximum allowable deflection at high temperature (150° /200° C).

DSWR					
PART NUMBER	PRICE	PART NUMBER	PRICE	PART NUMBER	PRICE
DSWR12.5-100	272.00	DSWR17-30	116.80	DSWR21-50	216.00
DSWR14.5-15	86.40	DSWR17-35	124.80	DSWR21-55	220.00
DSWR14.5-20	100.00	DSWR17-40	132.80	DSWR21-60	222.40
DSWR14.5-25	108.00	DSWR17-45	140.80	DSWR21-65	228.00
DSWR14.5-30	112.00	DSWR17-50	160.00	DSWR21-70	232.00
DSWR14.5-35	116.00	DSWR17-55	164.00	DSWR21-75	260.00
DSWR14.5-40	124.80	DSWR17-60	166.40	DSWR21-80	268.00
DSWR14.5-45	132.80	DSWR17-65	204.00	DSWR21-90	270.40
DSWR14.5-50	140.80	DSWR17-70	228.00	DSWR21-100	281.60
DSWR14.5-55	152.80	DSWR17-75	252.00	DSWR21-110	286.40
DSWR14.5-60	160.00	DSWR17-80	260.00	DSWR21-120	292.00
DSWR14.5-65	200.00	DSWR17-90	266.40	DSWR21-125	298.40
DSWR14.5-70	220.00	DSWR17-100	270.40	DSWR21-130	310.40
DSWR14.5-75	242.40	DSWR17-125	282.40	DSWR21-140	319.20
DSWR14.5-80	252.00	DSWR17-150	312.00	DSWR21-150	258.40
DSWR14.5-90	260.00	DSWR17-175	316.00	DSWR21-175	324.00
DSWR14.5-100	266.40	DSWR21-25	124.80	DSWR21-200	364.00
DSWR14.5-125	275.20	DSWR21-30	132.80	DSWR26-25	208.00
DSWR14.5-150	308.00	DSWR21-35	140.80	DSWR26-30	212.00
DSWR17-20	102.40	DSWR21-40	204.00	DSWR26-35	216.00
DSWR17-25	109.60	DSWR21-45	212.00	DSWR26-40	228.00

❖ COIL SPRINGS –

HIGH DEFLECTION – DSWR

- **F(Allowable deflection) is due to the measurement at normal temperature (40⁰ C)**
- Maximum allowable deflection at high temperature (150⁰ /200⁰ C).

DSWR					
PART NUMBER	PRICE	PART NUMBER	PRICE	PART NUMBER	PRICE
DSWR26-45	236.00	DSWR31-40	232.00	DSWR31-190	454.40
DSWR26-50	240.00	DSWR31-45	240.00	DSWR31-200	460.80
DSWR26-55	248.00	DSWR31-50	244.00	DSWR31-250	508.00
DSWR26-60	252.00	DSWR31-55	252.00	DSWR31-300	559.20
DSWR26-65	256.00	DSWR31-60	256.00	DSWR37-35	224.00
DSWR26-70	260.00	DSWR31-65	260.00	DSWR37-40	236.00
DSWR26-75	264.00	DSWR31-70	264.00	DSWR37-45	244.00
DSWR26-80	272.00	DSWR31-75	268.00	DSWR37-50	169.60
DSWR26-90	284.00	DSWR31-80	276.00	DSWR37-55	256.00
DSWR26-100	288.00	DSWR31-90	288.00	DSWR37-60	260.00
DSWR26-110	316.80	DSWR31-100	292.00	DSWR37-65	265.60
DSWR26-120	324.00	DSWR31-110	320.00	DSWR37-70	272.80
DSWR26-125	332.00	DSWR31-120	328.00	DSWR37-75	279.20
DSWR26-130	338.40	DSWR31-125	364.00	DSWR37-80	285.60
DSWR26-140	350.40	DSWR31-130	388.00	DSWR37-90	308.00
DSWR26-150	355.20	DSWR31-140	392.00	DSWR37-100	312.00
DSWR26-175	380.80	DSWR31-150	404.00	DSWR37-110	366.40
DSWR26-200	398.40	DSWR31-160	428.00	DSWR37-120	370.40
DSWR26-225	436.00	DSWR31-170	432.00	DSWR37-125	378.40
DSWR26-250	471.20	DSWR31-175	436.00	DSWR37-130	392.00
DSWR31-35	220.00	DSWR31-180	448.80	DSWR37-140	398.40

❖ COIL SPRINGS –

HIGH DEFLECTION – DSWR

- **F(Allowable deflection) is due to the measurement at normal temperature (40⁰ C)**
- Maximum allowable deflection at high temperature (150⁰ /200⁰ C).

DSWR					
PART NUMBER	PRICE	PART NUMBER	PRICE	PART NUMBER	PRICE
DSWR37-150	412.00	DSWR43-170	468.00	DSWR46-275	833.60
DSWR37-160	436.00	DSWR43-180	478.40	DSWR46-300	865.60
DSWR37-170	441.60	DSWR43-190	532.80	DSWR50-50	392.00
DSWR37-175	452.00	DSWR43-200	540.80	DSWR50-60	412.00
DSWR37-180	462.40	DSWR43-225	588.00	DSWR50-70	439.20
DSWR37-190	476.00	DSWR43-250	593.60	DSWR50-80	461.60
DSWR37-200	488.00	DSWR43-275	674.40	DSWR50-90	478.40
DSWR37-250	534.40	DSWR43-300	740.00	DSWR50-100	494.40
DSWR37-300	654.40	DSWR46-50	372.80	DSWR50-110	519.20
DSWR43-50	292.80	DSWR46-60	392.00	DSWR50-120	558.40
DSWR43-60	296.80	DSWR46-70	406.40	DSWR50-130	604.80
DSWR43-70	304.80	DSWR46-80	422.40	DSWR50-140	636.80
DSWR43-80	312.00	DSWR46-90	438.40	DSWR50-150	702.40
DSWR43-90	320.80	DSWR46-100	457.60	DSWR50-175	725.60
DSWR43-100	328.00	DSWR46-110	514.40	DSWR50-200	869.60
DSWR43-110	380.00	DSWR46-130	553.60	DSWR50-225	900.00
DSWR43-120	388.00	DSWR46-140	572.00	DSWR50-250	980.80
DSWR43-130	416.00	DSWR46-150	580.00	DSWR50-275	1076.00
DSWR43-140	424.00	DSWR46-175	596.00	DSWR50-300	1174.40
DSWR43-150	428.00	DSWR46-200	616.80	DSWR50-350	1346.40
DSWR43-160	452.00	DSWR46-225	736.80	DSWR50-400	1514.40
		DSWR46-250	798.40		